



NONLOCAL EFFECTS OF CRACK CURVING

A. Cemal Eringen and A. Suresh
Princeton University

Technical Report No. 57 Civil Engng. Res. Rep. No. 82-SM-12

Research Sponsored by the OFFICE OF NAVAL RESEARCH under Contract N00014-76-C-0240 Mod 4 Task No. NR 064-410

July 1982

SELECTE AUG 17 1982

D

Approved for public reslease: distribution unlimited

Reproduction in whole or in part is permitted for any purpose of the United States Government.

82 08 16 274

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

PEPOPT DO	CUMENTATION PAGE	READ INSTRUCTIONS
1. REPORT NUMBER	2. GOVT ACCESSION NO.	BEFORE COMPLETING FORM 3. RECIPIENT'S CATALOG NUMBER
PRINCETON UNIVERSITY REPORT #57	TECHNICAL AD-118 2	5
4. TITLE (and Subtitle)		S. TYPE OF REPORT & PERIOD COVERED
NONLOCAL MECHANICS O	F CRACK CURVING	Technical Report
		6. PERFORMING ORG. REPORT NUMBER 82-SM-12
7. AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(4)
A.C.Eringen and A.	Suresh	N00014-76-002040 Mod4
9. PERFORMING ORGANIZATION P	NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
PRINCETON UNIVERSITY Princeton, NJ 08544		NR 064-410
11. CONTROLLING OFFICE NAME	AND ADDRESS	12. REPORT DATE July 1982
OFFICE OF NAVAL RES	•	13. NUMBER OF PAGES
Arlington, VA 2221		22 15. SECURITY CLASS. (of this report)
14. MONITORING AGENCY NAME &	ADDRESS(if different from Controlling Office)	unclassified
		154. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (this Report)	
İ	DISTRIBUTION STATEMENT A	7
	Approved for public release; Distribution Unlimited	
17. DISTRIBUTION STATEMENT (o	f the abstract entered in Block 20, if different fro	m Reporty
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue en revers	e alde if necessary and identify by block number,)
	crack curving	
	fracture criteria nonlocal fractures	
	nonfocal fractures	
The nonlocal elasti under combined load begins at a critica tion of the critica crack begins to devresults are in good	city solution is obtained for ings, Modes I and II. It is a point in the neighborhood of point is determined and the latte from its straight line I agreement with	r the Griffith crack problem shown that the fracture of the crack tip. The locate critical angle at which the path is determined. These
predictions.	~	

DD 1 JAN 73 1473

(INS	DTIQ COPY PECTED)
INS	PECTED	/

Acces	sion F	or	
1	GRA&I		X
DTIC			<u> </u>
4	ounced		
Justi	fication	n	
Ву			
Distr	ibution	1/	
Avai	labilit	y Co	des
	Avail	and/	or
Dist	Spec	ial	
1]	[
1 M			
1,	1 1	,	

NONLOCAL MECHANICS OF CRACK CURVING *

A. Cemal Eringen and A. Suresh

Department of Civil Engineering, Princeton University Princeton, New Jersey 08544

ABSTRACT

The nonlocal elasticity solution is obtained for the Griffith crack problem under combined loadings, Modes I and II. It is shown that the fracture begins at a critical point in the neighborhood of the crack tip. The location of the critical point is determined and the critical angle at which the crack begins to deviate from its straight line path is determined. These results are in good agreement with atomic lattice theory, and classical predictions.

INTRODUCTION

Presently, there exists several criteria for the static and dynamic curving of a line crack under combined loadings. These are based on either a maximum circumferential stress (cf. Erdogan and Sih [1], Cottercll and Rice [2]), or the Griffith energy release rate (cf. Hussain, et al [3]). Experimental assessment of these criteria was carried out by Kobayashi, et al, in a series of papers of which we mention [4]. Because of the usual crack tip singularity, these criteria are to be applied at a critical distance r from the crack tip. It is speculated that r is a material property.

The main purpose of the present paper is: (i) to determine r_c , theoretically; (ii) to obtain the direction of crack curving under combined loadings, Modes I and II; (iii) to give a crack curving criterion based on the maximum circumferential stress field.

We note that such a program cannot be carried out by means of classical elasticity theory since according to this theory, the maximum stress is infinite and it is located at the crack tip.

In several previous papers (cf. [5], [6], [7]), it was shown that the nonlocal elasticity solutions of crack problems do not contain a stress singularity. Moreover, the maximum stress occurs not at the tip, but at an exterior point to the crack surfaces—in the close vicinity of the crack tip.

Supported by the Office of Naval Research.

For brittle solids, a fracture criterion based on the maximum tensile stress, was established (cf. [5], [6], [8]). Accordingly, when the maximum tensile stress exceeds the cohesive stress that holds bonds together, fracture will occur. Calculations based on this hypothesis proved to be in accordance with the Griffith fracture criterion with the additional dividend that the Griffith constant is fully determined. Cohesive stress calculations showed excellent agreement with the results known to metalurgists (see [5] to [10]).

Motivated by these findings, we proceed to examine here the problem of crack instability and curving for the plane problem under combined loads.

RESUME OF BASIC EQUATIONS

Basic equations of nonlocal, linear, homogeneous, isotropic elastic solids consist of (cf. [5], [11], [12]):

(1)
$$t_{k\ell_{-}k} + \rho(f_{\ell} - \ddot{u}_{\ell}) = 0$$

(2)
$$t_{k\ell}(x,t) = \int_{U} \alpha(|x'-x|,\epsilon) \sigma_{k\ell}(x',t) dv(x'),$$

(3)
$$\sigma_{kl} = \lambda e_{rr} \delta_{kl} + 2\mu e_{kl}$$

(4)
$$e_{k\ell} = \frac{1}{2} (u_{k,\ell} + u_{\ell,k})$$

where $t_{k\ell}$, ρ , f_ℓ and u_ℓ are respectively, the stress tensor, mass density, body force and the displacement field. We employ a superposed dot to indicate partial derivative with respect to time and a comma to indicate partial derivative with respect to rectangular coordinates x_{ℓ} , i.e.

$$\dot{u}_k = \frac{\partial u_k(x,t)}{\partial t}$$
, $u_{k,\ell} = \frac{\partial u_k}{\partial x_{\ell}}$

As usual, repeated indices indicate summation.

Except for the constitutive equations (2), these equations are identical to those of the classical (local) elasticity theory. Equation (2) replaces the classical Hooke's law. It expresses the physical fact that the stress at a point x depends on strains at all other points x' in the body. Naturally, the influence of strain at x is expected to be greatest in the stress at x and the influence of strains at any other

point x', at a distance |x'-x| from x, must diminish with distance. Hence the nonlocal modulus $\alpha(|x'-x|,\epsilon)$ must die out with |x'-x| having a maximum at x'=x.

The nonlocal attenuation modulus α has the dimension of length $^{-3}$ so that it depends on an internal characteristic length a. This is indicated by $^{\varepsilon} = \beta a/\ell$ where ℓ is an external characteristic length (e.g. wave length, crack length), a is an internal characteristic length (e.g., lattice parameter, granular distance) and β is a non-dimensional constant appropriate to each material.

Nonlocal elasticity reduces to the classical theory in the limit

(5)
$$\lim_{\varepsilon \to 0} \alpha(|\underline{x}^{i} - \underline{x}|, \varepsilon) = \delta(|\underline{x}^{i} - \underline{x}|)$$

where δ is the Dirac delta measure. Based on these and other considerations, Eringen [11], [12], proposed that α must be a Dirac delta sequence, and obtained several kernels which produce excellent agreement with the dispersion curves of plane waves in lattice dynamics, in the entire Brillouin zone.

Here we give one of these kernels, suitable for the treatment of two-dimensional problems, Ari and Eringen [7]:

(6)
$$\alpha(|x|, \varepsilon) = (2\pi \ell^2 \varepsilon^2)^{-1} K_0(\sqrt{x \cdot x}/\ell \varepsilon), \qquad \varepsilon = \beta a/\ell$$

where K_0 is the modified Bessel's function. We note that equation (6) satisfies the differential equation

(7)
$$(1 - \varepsilon^2 \ell^2 \nabla^2) \alpha = \delta(|x' - x|)$$

a property which is useful in the treatment of boundary-value problems. If we apply the operator (7) to equation (2), we obtain

(8)
$$(1 - \varepsilon^2 \ell^2 \nabla^2) t_{k\ell} = \sigma_{k\ell}$$

From this, by taking the divergence of both sides, it follows that

(9)
$$\sigma_{k\ell_{-}k} + (1 - \epsilon^2 \ell^2 \nabla^2) (\rho f_{\ell_{-}} - \rho \ddot{u}_{\ell_{-}}) = 0$$

where we have used equation (1). If we further substitute from equations (3) and (4), we will have

(10)
$$(\lambda + \mu) u_{k,\ell k} - \mu \nabla^2 u_{\ell} + (1 - \epsilon^2 \ell^2 \nabla^2) (\rho \ddot{u}_{\ell} - \rho f_{\ell}) = 0$$

valid in rectangular coordinates. In this way, the integro-differential equations (1) to (4) are reduced to singularly perturbed partial differential equations.

Particularly simple results are obtained for the $\underline{static\ case}$ and vanishing body forces. In this case, we have

(11)
$$\sigma_{k\ell_{\bullet}k} = 0$$

which is identical to the equilibrium equations of classical elasticity theory.

GRIFFITH CRACK, MODE I AND II

A line crack $|x_1| < c$, $x_2 = 0$ located in an infinite plane subject to a uniform tensile loading, perpendicular to the crack line at infinity, is known as the Griffith crack problem, Mode I. We consider the superposition to Mode I a constant shear loading which is known as the Mode II. The solution of both problems in nonlocal elasticity were given previously by Eringen [8] and his coworkers [6]. Here, we employ an alternative method of solution using a different kernel, namely equation (6).

For the static case with vanishing body forces, equation (10) reduces to the classical Navier's equation

(12)
$$(\lambda + \mu) u_{k_{\alpha} \ell, k} + \mu \nabla^2 u_{\ell} = 0$$

whose solution is well-known, c.f., [13]. The classical stress field $\sigma_{k\ell}$ in the neighborhood of the crack tip, is of the form

$$\begin{bmatrix}
\sigma_{11} \\
\sigma_{22} \\
\sigma_{12}
\end{bmatrix} = \frac{K_{I}}{\sqrt{2\pi r}} \begin{bmatrix}
\frac{3}{4}\cos\frac{\theta}{2} + \frac{1}{4}\cos\frac{5\theta}{2} \\
\frac{5}{4}\cos\frac{\theta}{2} - \frac{1}{4}\cos\frac{5\theta}{2} \\
-\frac{1}{4}\sin\frac{\theta}{2} + \frac{1}{4}\sin\frac{5\theta}{2}
\end{bmatrix} + \frac{K_{II}}{\sqrt{2\pi r}} \begin{bmatrix}
-\frac{7}{4}\sin\frac{\theta}{2} - \frac{1}{4}\sin\frac{5\theta}{2} \\
-\frac{1}{4}\sin\frac{\theta}{2} + \frac{1}{4}\sin\frac{5\theta}{2} \\
-\frac{1}{4}\sin\frac{\theta}{2} + \frac{1}{4}\sin\frac{5\theta}{2}
\end{bmatrix}$$

where K_{I} and K_{II} are classical stress intensity factors and (r,0) are plane polar coordinates with the origin at the right crack tip.

In nonlocal theory, $\sigma_{k\ell}$ given by equation (13) is not the stress field. The stress field $t_{k\ell}$ is obtained by solving equation (8), subject to regularity conditions, i.e., $t_{k\ell}$ must be bounded at the crack tip and at infinity. This is borne out also from the previous solution given in [5] and [7].

We expect that, at large distances from the crack tip, the classical solution will approximate the stress field well. Moreover, as $\varepsilon + 0$, equation (8) gives $t_{k\ell} + \sigma_{k\ell}$. Therefore, there exists a boundary layer in the neighborhood of the crack. This then suggests that we may obtain an inner solution of equation (8) and match it to the outer solution $\sigma_{k\ell}$. In fact, this is why the approximate expressions (equation (13)), which are valid in the vicinity of the crack tip, are adequate for the determination of $t_{k\ell}$ in the vicinity of the crack tip.

Introducing the complex stress field for any second-order symmetric tensor, $\tau_{\mathbf{k}\varrho}$ by

(14)
$$\theta_{\underline{\tau}} = \tau_{11} + \tau_{22}, \quad \phi_{\underline{\tau}} = \tau_{22} - \tau_{11} + 2i \tau_{12}$$

The differential equations (8) may be replaced by equivalent equations

where, by using equations (14 and (13),

$$\Theta_{\sigma} = \frac{1}{\sqrt{2\pi r}} \left[(K_{I} + i K_{II}) e^{i\theta/2} + (K_{I} - i K_{II}) e^{-i\theta/2} \right],$$

$$\Phi_{\sigma} = \frac{1}{2\sqrt{2\pi r}} \left[(K_{I} + 3i K_{II}) e^{-i\theta/2} + (-K_{I} + i K_{II}) e^{-i5\theta/2} \right]$$

Consequently, the integration of equation (15) requires finding the solution of a differential equation of the form

(17)
$$\frac{\partial^2 g_n}{\partial \rho^2} + \frac{1}{\rho} \frac{\partial g_n}{\partial \rho} + \frac{1}{\rho^2} \frac{\partial^2 g_n}{\partial \theta^2} - g_n = -\rho^{-\frac{1}{2}} e^{in\theta/2}, \quad n = \pm 1, \pm 5$$

where

(18)
$$g_n(\rho,\theta) = f_n(\rho) e^{in\theta/2} \qquad \rho = r/\epsilon \ell$$

The general solution of equation (17) is

(19)
$$f_n(\rho) = A I_{n/2}(\rho) + B K_{n/2}(\rho) + \int_{-\infty}^{\rho} [I_{n/2}(z) K_{n/2}(\rho) - I_{n/2}(\rho) K_{n/2}(z)] z^{\frac{1}{2}} dz$$

where I and K are modified Bessel's functions. Constants of integrations A and B are determined by using the regularity conditions at r=0 and $r=\infty$, namely f_n must be bounded at $\rho=0$ and as $\rho\to\infty$.

(20)
$$f_n = \int_0^\rho I_{n/2}(z) K_{n/2}(\rho) z^{\frac{1}{2}} dz + \int_0^\infty I_{n/2}(\rho) K_{n/2}(z) z^{\frac{1}{2}} dz$$

Employing well-known expressions of $I_{n/2}$ and $K_{n/2}$ [14], we find that

(21)
$$f_{\pm 1} = \rho^{-\frac{1}{2}} (1 - e^{-\rho}),$$

$$f_{\pm 5} = \rho^{-\frac{1}{2}} e^{-\rho} (1 + \frac{3}{\rho} + \frac{3}{\rho^2}) \int_{0}^{\rho} [(1 + \frac{3}{z^2}) \sinh z - \frac{3}{z} \cosh z] dz$$

$$+ \rho^{-\frac{1}{2}} [(1 + \frac{3}{\rho^2}) \sinh \rho - \frac{3}{\rho} \cosh \rho] \int_{0}^{\infty} e^{-z} (1 + \frac{3}{z} + \frac{3}{z^2}) dz$$

Consequently,

$$\theta_{t} = (2\pi\epsilon \ell)^{-\frac{1}{2}} \left[(K_{I} + iK_{II}) e^{i\theta/2} + (K_{I} - iK_{II}) e^{-i\theta/2} \right] f_{1}(\rho) ,$$
(22)
$$\Phi_{t} = \frac{1}{2} (2\pi\epsilon \ell)^{-\frac{1}{2}} \left[(K_{I} + 3iK_{II}) f_{1}(\rho) e^{-i\theta/2} + (-K_{I} + iK_{II}) f_{5}(\rho) e^{-5i\theta/2} \right]$$

But, in polar coordinates, we have

(23)
$$t_{rr} + t_{\theta\theta} = \theta_{\underline{t}},$$

$$t_{\theta\theta} - t_{rr} + 2i t_{r\theta} = \phi_{\underline{t}} e^{2i\theta}$$

from which we determine the stress field.

$$t_{rr} = (2\pi\epsilon \ell)^{-\frac{1}{2}} \left\{ \left[K_{I} \left(\cos \frac{\theta}{2} - \frac{1}{4} \cos \frac{3\theta}{2} \right) + K_{II} \left(-\sin \frac{\theta}{2} + \frac{3}{4} \sin \frac{3\theta}{2} \right) \right] f_{I}(\rho) + \frac{1}{4} \left(K_{I} \cos \frac{\theta}{2} - K_{II} \sin \frac{\theta}{2} \right) f_{5}(\rho) \right\}.$$

(24)
$$t_{\theta\theta} = (2\pi\epsilon\ell)^{-\frac{1}{2}} \left\{ \left[K_{I} \left(\cos \frac{\theta}{2} + \frac{1}{4} \cos \frac{3\theta}{2} \right) - K_{II} \left(\sin \frac{\theta}{2} + \frac{3}{4} \sin \frac{3\theta}{2} \right) \right] f_{I}(\rho) + \frac{1}{4} \left(-K_{I} \cos \frac{\theta}{2} + K_{II} \sin \frac{\theta}{2} \right) f_{5}(\rho) \right\},$$

$$t_{r\theta} = \frac{1}{4} (2\pi\epsilon \ell)^{-\frac{1}{2}} \left[(K_{I} \sin \frac{3\theta}{2} + 3 K_{II} \cos \frac{3\theta}{2}) f_{I}(\rho) + (K_{I} \sin \frac{\theta}{2} + K_{II} \cos \frac{\theta}{2}) f_{5}(\rho) \right]$$

These results: are valid in the vicinity of the crack tip.

FRACTURE AND CRACK CURVING

Based on the physics of matter, the fracture must occur when the maximum tensile stress exceeds the cohesive stress which holds bonds together, Eringen [5,8]. Consequently, fracture will begin at a point (r_c,θ_c) which are the roots of

(25)
$$\frac{\partial t_{\theta\theta}}{\partial r} = 0, \quad \frac{\partial t_{\theta\theta}}{\partial \theta} = 0$$

provided that $t_{\theta\theta}(r_c,\theta_c)$ is the maximum tensile stress.

Note that unlike classical elasticity, $t_{\theta\theta max}$ is not at the crack tip Thus, fracture begins ahead of the crack tip at some location, determined by equation (25).

First, consider the case of Mode I only. In this case, $K_{II} = 0$ and equation (25) gives

(26)
$$\theta_{c} = 0, \quad 5 \frac{df_{1}}{d\rho} = \frac{df_{5}}{d\rho}$$

so that the fracture is along the crack line at a point $\,\rho_{_{\mbox{\scriptsize C}}}\,$ satisfying (26). Computations give

(27)
$$\rho_{C} = r_{C}/\epsilon \ell = 1.095076$$

This result is in excellent agreement with that calculated by means of atomic lattice theory by Elliot [15] (see Table 1).

Next, we consider the combined Modes I and II. From equations (24) and (25), it is clear that

(28)
$$\rho_{c} = r_{c}/\epsilon \ell = f(K_{II}/K_{I})$$

$$\theta_{c} = g(K_{II}/K_{I})$$

Following common practice, these functions are plotted against crack angle $\,\gamma$, defined by

(29)
$$\cot \gamma = K_{II}/K_{I}$$

In Figure 1, critical distance r_{c} is given as a function of the crack angle γ . We notice that r_{c} decreases with the crack angle. The closest distance to the crack c tip is obtained when K_{I} = 0 and farthest when K_{I} = 0. The change between these two cases is almost a straight line. In Figure 2, values of θ_{c} are compared with classical results obtained from [13, p. 99]. The agreement is, in general, excellent.


TABLE I
HOOP STRESS ALONG THE CRACK LINE

	t _{max} /t ₀	× _C /2
Elliot [15]	27.62	1 + 0.2(a/l)
Nonlocal (Present) & 2 = 0.22a* & & & & & & & & & & & & & & & & & & &	25.41 21. 4 0	1 + 0.2409(a/l) 1 + 0.3394(a/l)


^{*}Values of $\varepsilon\ell/a$ are from Ref. [7].

References

- [1] Erdogan, F. and G.S. Sih., <u>Trans ASME</u>, <u>J. Basic Engng</u>., 85(D), 1963, pp. 519-527.
- [2] Cotterell, B. and J.R. Rice., <u>Int. J. Frac.</u>, <u>II</u>, 1981, pp.155-164.
- [3] Hussain, M.A., S.L. Pu and J. Underwood, ASTM STP 560, 1974, pp.2-28.
- [4] Sun, Y.-J., M. Ramulu, A.S. Kobayashi and B.-J. Kang, ONR Report #42. Dept. of ME, University of Washington, Nov.1981.
- [5] Eringen, A.C., <u>J. Phys. D. Appl. Phys.</u>, <u>10</u>, pp. 671-678, 1977.
- [6] Eringen, A.C., C. Speziale and B.S. Kim, <u>J. Mech.</u> and <u>Phys. of Solids</u>, <u>25</u>, pp. 339-355, 1977.
- [7] Ari, N. and A.C. Eringen, ONR Report #56, CE Dept. Princeton University, July 1981.
- [8] Eringen, A.C., <u>Int. J. of Fracture</u>, <u>14</u>, 367-379, 1978.
- [9] Eringen, A.C. Engng. Fracture Mech. 12, pp. 211-219, 1979.
- [10] Eringen, A.C. Crystal Lattice Defects, 8, pp. 73-80, 1979.
- [11] Eringen, A.C. <u>Int. J. Engng. Sci. 10</u>, pp. 425-435, 1972.
- [12] Eringen, A.C. Nonlinear Equations in Physics and Mathematics (edit. by A. O. Barut) D. Reidel Publ. Co. Dordrecht. Holland. pp. 271-318, 1978.
- [13] A.S. Jayatilaka, <u>Fracture of Engineering Brittle Materials</u>, Appl. Sci. Publishers, London, 1979, p. 22.
- [14] Gradshteyn, I.S. and I.M. Ryzhik. Tables of Integrals, Series and Products. Acad. Press New York, 1965, p. 967.
- [15] Elliot, H.A. <u>Proc. Phys. Soc.</u>, A59, pp. 208-233, 1947.



CRITICAL RADIUS VS CRACK ANGLE FIGURE I



Part 1 - Government Administrative and Lisison Activities

Office of Naval Research
Department of the Navy
Arlington, Virginia 22217
Attn: Code 474 (2)
Code 471
Code 200

Director
Office of Maval Research
Eastern/Central Regional Office
666 Summer Street
Boston, Massachusetts 02210

Director
Office of Naval Besearch
Branch Office
536 South Clark Street
Chicago, Illinois 60605

Director
Office of Naval Research
New York Area Office
715 Broadway - 5th Floor
New York, New York 10003

Director Office of Naval Research Western Regional Office 1030 East Green Street Pasadena, California 91106

Naval Research Laboratory (6) Code 2627 Washington, D.C. 20375

Defense Technical Information Center (12) Cameron Station Alexandria, Virginia 22314

Hevy

Undersea Explosion Research Division Neval Ship Research and Development Center Worfolk Neval Shipyard Portsmouth, Virginia 23709 Attn: Dr. E. Palmer, Code 177

Mavy (Con't.)

Maval Research Laboratory
Washington, D.C. 20375
Attn: Code 8400
8410
8430
8440
6300
6390
6380

David W. Taylor Maval Ship Research and Development Center Annapolis, Maryland 21402 Attn: Gode 2740

25 261

Mavel Weapons Center China Lake, California 93555 Attn: Code 4062

Commanding Officer
Neval Civil Engineering Laboratory
Code L31
Port Rueneme, California 93041

Havel Surface Weapons Center, White Oak Silver Spring, Maryland 20910 Attn: Code R-10 G-402 E-82

Technical Director Waval Ocean Systems Center San Diego, California 92152

Supervisor of Shipbuilding U.S. Navy Newport News, Virginia 23607

Wavy Undervater Sound Reference Division Waval Research Laboratory P.O. Box 8337 Orlando, Florida 32806

Chief of Nevel Operations Department of the Nevy Washington, D.C. 20350 Attn: Code OP-098

Mavy (Con't.) Commander and Director David W. Taylor Maval Ship Research and Development Center Bethesda, Maryland 20084 Attn: Code 042 17 172 173 174 1800 1844 012.2 1900 1901 1945
David W. Taylor Maval Ship Research and Development Center Bethesds, Maryland 20084 Attn: Code 042 17 172 173 174 1800 1844 012.2 1900 1901
David W. Taylor Maval Ship Research and Development Center Bethesds, Maryland 20084 Attn: Code 042 17 172 173 174 1800 1844 012.2 1900 1901
Research and Development Center Bethesda, Maryland 20084 Attn: Code 042 17 172 173 174 1800 1844 012.2 1900 1901
Bethesda, Maryland 20084 Attn: Code 042 17 172 173 174 1800 1844 012.2 1900 1901
Attn: Code 042 17 172 173 174 1800 1844 012.2 1900 1901
17 172 173 174 1800 1844 012.2 1900 1901
172 173 174 1800 1844 012.2 1900 1901
173 174 1800 1844 012.2 1900 1901
174 1800 1844 012.2 1900 1901
1800 1844 012.2 1900 1901 1945
1844 012.2 1900 1901 1945
012.2 1900 1901 1945
1900 1901 1945
1901 1945
1901 1945
1945
1962
Neval Underwater Systems Center
Newport, Rhode Island 02840
Attn: Bruce Sandman, Code 3634
write: stace senomen, tode 3034
Marral Bunface Manage Banks
Mayal Surface Weapons Center
Dahlgren Laboratory
Dahlgren, Virginia 22448
Attn: Code G04
G20 .
Technical Director
Mare Island Naval Shipyard
Vallejo, California 94592
U.S. Maval Postgraduate School
Library
Code 0384
Monterey, California 93940
monterey, certificate 73740
Webb Institute of Maval Architecture
Atta: Librarien
Crescent Beach Road, Glen Cove
Long Island, New York 11542
Army
Commanding Officer (2) .
U.S. Army Research Office
BARY BEFFELDN VAAAUT
P.O. Box 12211

Army (Con't.)

Watervliet Arsenal MAGGS Research Center Watervliet, New York 12189 Attn: Director of Research

U.S. Army Materials and Mechanica. Research Genter Watertown, Massachusetts 02172 Attn: Dr. R. Shea, DRXMR-T

U.S. Army Missile Research and Development Center Redstone Scientific Information Center Chief, Document Section Redstone Arsenal, Alabama 35809

Army Research and Development Center Fort Belvoir, Virginia 22060

MASA

3

1.56 L.

the the state of the second se

Mational Aeronautics and Space Administration Structures Research Division Langley Research Center Langley Station Hampton, Virginia 23365

Mational Aeronautics and Space Administration Associate Administrator for Advanced Research and Technology Washington, D.C. 20546

Air Force

Wright-Patterson Air Force Base Deyton, Ohio 45433 Attn: AFFDL (PB)

> (FBE) (FBE) (FBS)

AFML (HIM)

Chief Applied Mechanics Group U.S. Air Force Institute of Technology Wright-Patterson Air Force Base Deyton, Ohio 45433

'Air Force (Con't.)

Chief, Civil Engineering Branch WLRC, Research Division Air Force Weapons Laboratory Kirtland Air Force Base Albuquerque, New Mexico 87117

Air Force Office of Scientific Research Bolling Air Force Base Washington, D.C. 20332 Attn: Mechanics Division

Department of the Air Force Air University Library Maxwell Air Force Base Hontgomery, Alabama 36112

Other Government Activities

Commandant
Chief, Testing and Development Division
U.S. Coast Guard
1300 E Street, WW.
Washington, D.C. 20226

Technical Director
Marine Corps Development
and Education Command
Quantico, Virginia 22134

Director Defense Research and Engineering Technical Library Room 3G128 The Pentagon Washington, D.C. 20301

Dr. M. Gaus Wational Science Foundation Environmental Research Division Washington, D.C. 20550

Library of Congress Science and Technology Division Washington, D.C. 20540

Director
Defense Nuclear Agency
Washington, D.C. 20305
Attn: SPSS

Other Government Activities (Con't)

Mr. Jerome Persh Staff Specialist for Materials and Structures OUSDRAIS, The Pentagon Room 3D1089 Washington, D.C. 20301

Chief, Airframe and Equipment Branch PS-120 Office of Flight Standards Federal Aviation Agency Washington, D.C. 20553

National Academy of Sciences National Research Council Ship Hull Research Counittee 2101 Constitution Avenue Washington, D.C. 20418 Attn: Mr. A. R. Lytle

The second secon

1

ī

t

ŧ

Mational Science Foundation Engineering Mechanics Section Division of Engineering Washington, D.C. 20550

Picationy Arsenal Plastics Technical Evaluation Center Attn: Technical Information Section Dover, New Jersey 07801

Maritime Administration Office of Maritime Technology 14th and Constitution Avenue, WW. Washington, D.C. 20230

PART 2 - Contractors and Other Technical Collaborators

Universities

Dr. J. Tinsley Oden University of Texas at Austin 345 Engineering Science Building Austin, Texas 78712

Professor Julius Miklowitz California Institute of Technology Division of Engineering and Applied Sciences Pasadena, California 91109

Universities (Con't)

Dr. Harold Liebowitz, Dean School of Engineering and Applied Science George Washington University Washington, D.G. 20052

Professor Eli Sternberg California Institute of Technology Division of Engineering and Applied Sciences Pasadena, California 91109

Professor Paul M. Waghdi University of California Department of Mechanical Engineering Berkeley, California 94720

Professor A. J. Durelli Oakland University School of Engineering Rochester, Missouri 48063

Professor F. L. DiMaggio Columbia University Department of Civil Engineering New York, New York 10027

Professor Morman Jones
The University of Liverpool
Department of Mechanical Engineering
P. O. Box 147
Brownlow Eill
Liverpool L69 3BX
England

Professor E. J. Skudrzyk Pennsylvania State University Applied Research Laboratory Department of Physics State College, Pennsylvania 16801

Professor J. Klosner
Polytechnic Institute of New York
Department of Mechanical and
Aerospace Engineering
333 Jay Street
Brooklyn, New York 11201

Professor R. A. Schapery Texas A&M University Department of Civil Engineering College Station, Texas 77843

Universities (Con't.)

The second of th

Professor Walter D. Pilkey University of Virginia Research Laboratories for the Engineering Sciences and Applied Sciences Charlottesville, Virginia 22901 :

Professor K. D. Willmert Clarkson College of Technology Department of Mechanical Engineering Potsdam, New York 13676

Dr. Walter E. Haisler Texas A&M University Aerospace Engineering Department College Station, Texas 77843

Dr. Hussein A. Kamel
University of Arisona
Department of Aerospace and
Hechanical Engineering
Tucson, Arisona 85721

Dr. S. J. Fenves Carnegie-Hellon University Department of Civil Engineering Schenley Park Pittsburgh, Pennsylvania 15213

Dr. Ronald L. Huston Department of Engineering Analysis University of Cincinnati Cincinnati, Ohio 45221

Professor G. C. M. Sih Lehigh University Institute of Fracture and Solid Mechanics Bethlehem, Pennsylvania 18015

Professor Albert S. Robayashi University of Washington Department of Mechanical Engineering Seattle, Washington 98105

Professor Daniel Frederick Virginia Polytechnic Institute and State University Department of Engineering Machanics Blacksburg, Virginia 24061

Universities (Con't)

Professor A. C. Eringen
Princeton University
Department of Aerospace and
Mechanical Sciences
Princeton, New Jersey 08540

Professor E. E. Lee Stanford University Division of Engineering Mechanics Stanford, California 94305

Professor Albert I. King Wayne State University Biomechanics Research Center Detroit, Michigan 48202

Dr. V. R. Hodgson Wayne State University School of Medicine Detroit, Michigan 48202

Dean B. A. Boley Morthwestern University Department of Civil Engineering Evanston, Illinois 60201

Professor P. G. Hodge, Jr.
University of Minnesota
Department of Aerospace Engineering
and Mechanics
Minnespolis, Minnesota 55455

Dr. D. C. Drucker University of Illinois Dean of Engineering Urbana, Illinois 61801

Professor W. M. Newmark University of Illinois Department of Civil Engineering Urbana, Illinois 61803

Professor E. Reissner University of California, San Diego Department of Applied Mechanics La Jolla, California 92037

Professor William A. Mash University of Massachusetts Department of Mechanics and Aerospace Engineering Amherst, Massachusetts 01002

474:MP:716:1ab 78u474-619

Universities (Con't)

Professor G. Herrmann
Stanford University
Department of Applied Mechanics
Stanford, California 94305

Professor J. D. Achenbach
Northwest University
Department of Civil Engineering
Evanston, Illinois 60201

Professor S. B. Dong University of California Department of Mechanics Los Angeles, California 90024

Professor Burt Paul University of Pennsylvania Towne School of Civil and Mechanical Engineering Philadelphia, Pennsylvania 19104

Professor H. W. Liu Syracuse University Department of Chemical Engineering and Metallurgy Syracuse, New York 13210

Professor S. Bodner Technion R&D Foundation Haifa, Israel

Professor Werner Goldsmith University of California Department of Mechanical Engineering Berkeley, California 94720

Professor R. S. Rivlin Lehigh University Center for the Application of Mathematics Bethlehem, Pennsylvania 18015

Professor F. A. Cozzarelli State University of New York at Buffalo Division of Interdisciplinary Studies Karr Parker Engineering Building Chemistry Road Buffalo, New York 14214

Universities (Con't)

Professor Joseph L. Rose
Drexel University
Department of Mechanical Engineering
and Mechanics :
Philadelphia, Pennsylvania 19104

Professor B. K. Donaldson University of Maryland Aerospace Engineering Department College Park, Maryland 20742

Professor Joseph A. Clark Catholic University of America Department of Mechanical Engineering Washington, D.C. 20064

Dr. Samuel B. Batdorf University of California School of Engineering and Applied Science Los Angeles, California 90024

Professor Isaac Fried Boston University Department of Mathematics Boston, Massachusetts 02215

Professor E. Krempl
Rensselaer Polytechnic Institute
Division of Engineering
Engineering Mechanics
Troy, New York 12181

Dr. Jack R. Vinson University of Delaware Department of Mechanical and Aerospace Engineering and the Center for Composite Materials Newark, Delaware 19711

Dr. J. Duffy Brown University Division of Engineering Providence, Rhode Island 02912

Dr. J. L. Swedlow
Carnegie-Hellon University
Department of Mechanical Engineering
Pittsburgh, Pennsylvania 15213

Universities (Con't)

Dr. V. K. Varadan Ohio State University Research Foundation Department of Engineering Mechanics Columbus, Ohio 43210

Dr. Z. Hashin
University of Pennsylvania
Department of Metallurgy and
Materials Science
College of Engineering and
Applied Science
Philadelphia, Pennsylvania 19104

Dr. Jackson C. S. Yang University of Maryland Department of Mechanical Engineering College Park, Maryland 20742

Professor T. Y. Chang University of Akron Department of Civil Engineering Akron, Ohio 44325

Professor Charles W. Bert University of Oklahoma School of Aerospace, Mechanical, and Nuclear Engineering Norman, Oklahoma 73019

Professor Satya W. Atluri Georgia Institute of Technology School of Engineering and Mechanics Atlanta, Georgia 30332

ice !

Professor Graham F. Carey University of Texas at Austin Department of Aerospace Engineering and Engineering Mechanics Austin, Texas 78712

Dr. S. S. Wang University of Illinois Department of Theoretical and Applied Mechanics Urbana, Illinois 61801

Professor J. F. Abel Cornell University Department of Theoretical and Applied Mechanics Ithaca, New York 14853

Universities (Con't)

Professor V. E. Weubert
Pennsylvania State University
Department of Engineering Science
and Mechanics
University Park, Pennsylvania 16802

Professor A. W. Leissa Ohio State University Department of Engineering Mechanics Columbus, Ohio 43212

Professor C. A. Brebbia University of California, Irvine Department of Civil Engineering School of Engineering Irvine, California 92717

Dr. George T. Mahn Vanderbilt University Mechanical Engineering and Materials Science Washville, Tennessee 37235

Dean Richard R. Gallagher University of Arizona College of Engineering Tucson, Arizona 85721

Professor R. F. Rybicki
The University of Tulsa
Department of Mechanical Engineering
Tulsa, Oklahoma 74104

Dr. R. Haftka
Illinois Institute of Technology
Department of Mechanics and Mechanical
and Aerospace Engineering
Chicago, Illinois 60616

Professor J. G. de Oliveira Massachusetts Institute of Technology Department of Ocean Engineering 77 Massachusetts Avenue Cambridge, Massachusetts 02139

Dr. Bernard W. Shaffer Polytechnic Institute of New York Route 110 Farmingdale, New York 11735

Industry and Research Institutes

Dr. Norman Hobbs
Kaman AviDyne
Division of Kaman
Sciences Corporation
Burlington, Massachusetts 01803

Argonne National Laboratory Library Services Department 9700 South Cass Avenue Argonne, Illinois 60440

Control of the second s

Dr. M. C. Junger Cambridge Acoustical Associates 54 Rindge Avenue Extension Cambridge, Massachusetts 02140

Mr. J. H. Torrance General Dynamics Corporation Electric Boat Division Groton, Connecticut 06340

Dr. J. E. Greenspon J. G. Engineering Research Associates 3831 Menlo Drive Baltimore, Maryland 21215

Newport News Shipbuilding and Dry Dock Company Library Newport News, Virginia 23607

Dr. W. F. Bozich McDonnell Douglas Corporation 5301 Bolsa Avenue Huntington Beach, California 92647

Dr. H. W. Abramson Southwest Research Institute 8500 Culebra Road San Antonio, Texas 78284

Dr. R. G. DeRart Southwest Research Institute 8500 Culebra Road San Antonio, Texas 78284

Dr. M. L. Baron Weidlinger Associates 110 East 59th Street New York, New York 10022

Industry and Research Institutes (Con't)

Dr. T. L. Geers
Lockheed Missiles and Space Company
3251 Hanover Street
Palo Alto, California 94304

Mr. William Caywood Applied Physics Laboratory Johns Hopkins Road Laurel, Maryland 20810

Dr. Robert E. Dunham Pacifica Technology P.O. Box 148 Del Mar, California 92014

Dr. M. F. Kanninen
Battelle Columbus Laboratories
505 King Avenue
Columbus, Ohio 43201

Dr. A. A. Hochrein Daedalean Associates, Inc. Springlake Research Road 15110 Frederick Road Woodbine, Maryland 21797

Dr. James W. Jones Swanson Service Corporation P.O. Box 5415 Huntington Beach, California 92646

Dr. Robert E. Nickell Applied Science and Technology 3344 North Torrey Pines Court Suite 220 La Jolla, California 92037

Dr. Kevin Thomas Westinghouse Electric Corp. Advanced Reactors Division P. O. Box 158 Madison, Pennsylvania 15663

Dr. H. D. Hibbitt Hibbitt & Karlsson, Inc. 132 George M. Cohan Boulevard Providence, Rhode Island 02903

Dr. R. D. Hindlin 89 Deer Hill Drive Ridgefield, Connecticut 06877

474:NP:716:lab 78u474-619

Industry and Research Institutes (Con't)

Dr. Richard E. Dame Mega Engineering 11961 Tech Road Silver Spring, Maryland 20904

Mr. G. M. Stanley Lockheed Palo Alto Research Laboratory 3251 Hanover Street Palo Alto, California 94304

Mr. R. L. Cloud Robert L. Cloud Associates, Inc. 2972 Adeline Street Berkeley, California 94703